

Algebras – Non-Associative Nonassociative Algebras: General

17Axx

- [1] Vyacheslav A. Artamonov, Alexander A. Mikhalev, and Alexander V. Mikhalev, *Combinatorial properties of free algebras of Schreier varieties*, Polynomial identities and combinatorial methods (Pantelleria, 2001), Lecture Notes in Pure and Appl. Math., vol. 235, Dekker, New York, 2003, pp. 47–99. MR MR2021795 (2004j:17001)
- [2] Antonio Behn, Alberto Elduque, and Alicia Labra, *A class of locally nilpotent commutative algebras*, 2009.
- [3] Christopher P. Bendel, Daniel K. Nakano, and Cornelius Pillen, *Second cohomology groups for Frobenius kernels and related structures*, Adv. Math. **209** (2007), no. 1, 162–197. MR MR2294220 (2008c:20085)
- [4] Kelly McKinnie, *Indecomposable p -algebras and Galois subfields in generic abelian crossed products*, J. Algebra **320** (2008), no. 5, 1887–1907. MR MR2437635
- [5] L. J. Rylands and D. E. Taylor, *Constructions for octonion and exceptional Jordan algebras*, Des. Codes Cryptogr. **21** (2000), no. 1-3, 191–203. MR MR1801200 (2001m:17022)
- [6] Donald E. Taylor, *Constructing the split octonions*, Discovering Mathematics with Magma, Algorithms Comput. Math., vol. 19, Springer, Berlin, 2006, pp. 161–185. MR MR2278927
- [7] Mikael Vejdemo-Johansson, *Blackbox computation of A_∞ -algebras*, Georgian Journal of Mathematics **To appear** (2010).

Lie Algebras

17Bxx except 17B37

- [1] Y. Barnea and D. S. Passman, *Filtrations in semisimple Lie algebras. II*, Trans. Amer. Math. Soc. **360** (2008), no. 2, 801–817 (electronic). MR MR2346472 (2008m:17016)
- [2] Laurent Bartholdi, Benjamin Enriquez, Pavel Etingof, and Eric Rains, *Groups and Lie algebras corresponding to the Yang-Baxter equations*, J. Algebra **305** (2006), no. 2, 742–764. MR MR2266850
- [3] Dietrich Burde, Bettina Eick, and Willem de Graaf, *Computing faithful representations for nilpotent Lie algebras*, J. Algebra **322** (2009), no. 3, 602–612. MR MR2531213
- [4] A. Caranti, S. Mattarei, and M. F. Newman, *Graded Lie algebras of maximal class*, Trans. Amer. Math. Soc. **349** (1997), no. 10, 4021–4051. MR MR1443190 (98a:17027)
- [5] A. Caranti and M. F. Newman, *Graded Lie algebras of maximal class. II*, J. Algebra **229** (2000), no. 2, 750–784. MR MR1769297 (2001g:17041)
- [6] Serena Cicalò and Willem A. de Graaf, *Non-associative Gröbner bases, finitely-presented Lie rings and the Engel condition: II*, J. Symbolic Comput. **44** (2009), no. 7, 786–800.
- [7] Arjeh M. Cohen and Dan Roozmond, *Computing Chevalley bases in small characteristics*, J. Algebra **322** (2009), no. 3, 703–721. MR MR2531218 (2010d:17025)
- [8] Jennifer R. Daniel and Aloysius G. Helminck, *Algorithms for computations in local symmetric spaces*, Comm. Algebra **36** (2008), no. 5, 1758–1788. MR MR2424265
- [9] W. A. de Graaf, *Using Cartan subalgebras to calculate nilradicals and Levi subalgebras of Lie algebras*, J. Pure Appl. Algebra **139** (1999), no. 1–3, 25–39, Effective methods in algebraic geometry (Saint-Malo, 1998). MR MR1700536 (2000j:17001)
- [10] Willem A. de Graaf, *Classification of solvable Lie algebras*, Experiment. Math. **14** (2005), no. 1, 15–25. MR MR2146516 (2006b:17019)
- [11] ———, *Classification of 6-dimensional nilpotent Lie algebras over fields of characteristic not 2*, J. Algebra **309** (2007), no. 2, 640–653. MR MR2303198 (2007k:17012)

- [12] Claus Fieker and Willem A. de Graaf, *Finding integral linear dependencies of algebraic numbers and algebraic Lie algebras*, LMS J. Comput. Math. **10** (2007), 271–287 (electronic). MR MR2320832 (2008f:11119)
- [13] Conrad Kobel, *On the classification of solvable Lie algebras of finite dimension containing an abelian ideal of codimension one*, Master’s thesis, Halmstad University, 2008, p. 48.
- [14] L. G. Kovács and Ralph Stöhr, *Lie powers of the natural module for $GL(2)$* , J. Algebra **229** (2000), no. 2, 435–462. MR MR1769283 (2001h:20070)
- [15] G.I. Lehrer and R.B. Zhang, *A Temperley-Lieb analogue for the BMW algebra*, 2008.
- [16] Sandro Mattarei and Marina Avitabile, *Diamonds of finite type in thin Lie algebras*, J. Lie Theory **19** (2009), no. 1, 431–439.
- [17] M. F. Newman and Michael Vaughan-Lee, *Engel-4 groups of exponent 5. II. Orders*, Proc. London Math. Soc. (3) **79** (1999), no. 2, 283–317. MR MR1702244 (2000e:20065)
- [18] University of Georgia VIGRE Algebra Group, *On Kostant’s theorem for Lie algebra cohomology*, Lin, Zongzhu (ed.) et al., Representation Theory. Fourth International Conference on Representation Theory, Lhasa, China, July 16–20, 2007., Contemporary Mathematics, vol. 478, American Mathematical Society (AMS), Providence, RI, 2009, pp. 39–60. MR)
- [19] Roman O. Popovych, Vyacheslav M. Boyko, Maryna O. Nesterenko, and Maxim W. Lutfullin, *Realizations of real low-dimensional Lie algebras*, J. Phys. A **36** (2003), 7337–7360.
- [20] S. M. Salamon, *Complex structures on nilpotent Lie algebras*, J. Pure Appl. Algebra **157** (2001), no. 2-3, 311–333. MR MR1812058 (2002g:53089)
- [21] H. Strade, *Lie algebras of small dimension*, Lie algebras, vertex operator algebras and their applications, Contemp. Math., vol. 442, Amer. Math. Soc., Providence, RI, 2007, pp. 233–265. MR MR2372566 (2009a:17027)
- [22] Michael Vaughan-Lee, *Simple Lie algebras of low dimension over $GF(2)$* , LMS J. Comput. Math. **9** (2006), 174–192 (electronic). MR MR2237261
- [23] Geordie Williamson, *Intersection cohomology complexes on low rank flag varieties*, 2007.

- [24] Eliana Zoque, *A counterexample to the existence of a Poisson structure on a twisted group algebra*, 2006.

Quantum Groups

17B37

- [1] Laurent Bartholdi, Benjamin Enriquez, Pavel Etingof, and Eric Rains, *Groups and Lie algebras corresponding to the Yang-Baxter equations*, J. Algebra **305** (2006), no. 2, 742–764. MR MR2266850
- [2] C. P. Bendel, D. K. Nakano, B. J. Parshall, and C. Pillen, *Cohomology for quantum groups via the geometry of the Nullcone*, 2007, pp. 1–58.
- [3] Pavel Etingof and Victor Ginzburg, *Noncommutative complete intersections and matrix integrals*, Pure Appl. Math. Q. **3** (2007), no. 1, part 3, 107–151. MR MR2330156 (2008b:16044)
- [4] Julia Galstad and Gerald Hoehn, *A new class of codes over $Z_2 \times Z_2$* , 2010.
- [5] Jan E. Grabowski, *Examples of quantum cluster algebras associated to partial flag varieties*, J. Pure Appl. Algebra **To appear** (2010).
- [6] Jan E. Grabowski and Stéphane Launois, *Quantum cluster algebra structures on quantum Grassmannians and their quantum Schubert cells: The finite-type cases*, Int.Math.Res. Not **To appear** (2010).

Computational Methods

17-04

- [1] Serena Cicalò and Willem A. de Graaf, *Non-associative Gröbner bases, finitely-presented Lie rings and the Engel condition: II*, J. Symbolic Comput. **44** (2009), no. 7, 786–800.
- [2] W. A. de Graaf, *Using Cartan subalgebras to calculate nilradicals and Levi subalgebras of Lie algebras*, J. Pure Appl. Algebra **139** (1999), no. 1–3, 25–39, Effective methods in algebraic geometry (Saint-Malo, 1998). MR MR1700536 (2000j:17001)
- [3] Willem A. de Graaf, *Deciding isomorphism of Lie algebras*, Proceedings of the Sixth Rhine Workshop on Computer Algebra, Sankt Augustin, March 31 - April 3, 1998, 1998, p. 9.
- [4] ———, *Lie Algebras: Theory and Algorithms*, North-Holland Mathematical Library, vol. 56, North-Holland Publishing Co., Amsterdam, 2000. MR MR1743970 (2001j:17011)
- [5] Lothar Gerritzen, *Tree polynomials and non-associative Gröbner bases*, J. Symbolic Comput. **41** (2006), no. 3-4, 297–316. MR MR2202553 (2006k:17005)
- [6] Roberto La Scala and Viktor Levandovskyy, *Letterplace ideals and non-commutative Gröbner bases*, J. Symbolic Comp. **44** (2009), no. 10, 1374–1393.