Curves

14Hxx

- [1] S. Arita, S. Miura, and T. Sekiguchi, An addition algorithm on the Jacobian varieties of curves, J. Ramanujan Math. Soc. 19 (2004), no. 4, 235–251. MR MR2125500 (2005m:14114)
- [2] Philip Boalch, *Higher genus icosahedral Painlevé curves*, Funk. Ekvac. (Kobe), **50** (2007), 19–32.
- [3] Irene I. Bouw and Stefan Wewers, *Indigenous bundles with nilpotent p-curvature*, Int. Math. Res. Not. (2006), Art. ID 89254, 37. MR MR2219211
- [4] Louis Hugo Brewis, Liftable D_4 -covers, Manuscripta Math. 126 (2008), no. 3, 293–313. MR MR2411230
- [5] Nils Bruin, The arithmetic of Prym varieties in genus 3, Compos. Math. 144 (2008), no. 2, 317–338. MR MR2406115
- [6] Nils Bruin and Kevin Doerksen, The arithmetic of genus two curves with (4,4)-split Jacobians, arXiv:0902.3480v2 (2010).
- [7] E. Bujalance, Marston Conder, J. M. Gamboa, G. Gromadzki, and M. Izquierdo, Double coverings of Klein surfaces by a given Riemann surface, J. Pure Appl. Algebra 169 (2002), no. 2-3, 137–151. MR MR1897339 (2003e:14023)
- [8] Emilio Bujalance, F. J. Cirre, and Marston Conder, On extendability of group actions on compact Riemann surfaces, Trans. Amer. Math. Soc. 355 (2003), no. 4, 1537–1557 (electronic). MR MR1946404 (2003k:20079)
- [9] Gabriel Cardona, Representations of G_k -groups and twists of the genus two curve $y^2 = x^5 x$, J. Algebra **303** (2006), no. 2, 707–721. MR MR2255131 (2007e:14049)
- [10] Wouter Castryck and John Voight, Nondegenerate curves of low genus over small finite fields, Arithmetic, Geometry, Cryptography and Coding Theory, Contemporary Mathematics, vol. 521, AMS, Providence, R.I., 2009, pp. 21–28.
- [11] J.-M. Couveignes, Linearizing torsion classes in the Picard group of algebraic curves over finite fields, J. Algebra 321 (2009), no. 8, 2085–2118. MR MR2501511

- [12] J. E. Cremona, T. A. Fisher, C. O'Neil, D. Simon, and M. Stoll, *Explicit n-descent on elliptic curves*, *II: Geometry*, J. reine angew. Math **2009** (2009), no. 632, 63–84.
- [13] Laurent Ducrohet, The Frobenius action on rank 2 vector bundles over curves in small genus and small characteristic, Ann. Inst. Fourier (Grenoble) **59** (2009), no. 4, 1641–1669. MR MR2566970
- [14] Tom Fisher, Genus one curves defined by Pfaffians, 2004.
- [15] ______, Testing equivalence of ternary cubics, Algorithmic Number Theory (Berlin, 2006), Lecture Notes in Comput. Sci., vol. 4076, Springer, Berlin, 2006, pp. 333–345.
 MR MR2282934 (2007j:11074)
- [16] _____, The invariants of a genus one curve, Proc. Lond. Math. Soc. (3) 97 (2008), no. 3, 753–782. MR MR2448246
- [17] Stéphane Flon, Roger Oyono, and Christophe Ritzenthaler, Fast addition on non-hyperelliptic genus 3 curves, Algebraic geometry and its applications, Ser. Number Theory Appl., vol. 5, World Sci. Publ., Hackensack, NJ, 2008, pp. 1–28. MR MR2484046
- [18] P. Gaudry, T. Houtmann, D. Kohel, C. Ritzenthaler, and A. Weng, The 2-adic CM method for genus 2 curves with application to cryptography, Advances in cryptology—ASIACRYPT 2006, Lecture Notes in Comput. Sci., vol. 4284, Springer, Berlin, 2006, pp. 114–129. MR MR2444631 (2009j:94110)
- [19] P. Gaudry and É. Schost, On the invariants of the quotients of the Jacobian of a curve of genus 2, Applied Algebra, Algebraic Algorithms and Error-correcting Codes (Melbourne, 2001), Lecture Notes in Comput. Sci., vol. 2227, Springer, Berlin, 2001, pp. 373–386. MR MR1913484 (2003e:14020)
- [20] Martine Girard, The group of Weierstrass points of a plane quartic with at least eight hyperflexes, Math. Comp. 75 (2006), no. 255, 1561–1583 (electronic). MR MR2219046 (2007b:14072)
- [21] Martine Girard and David R. Kohel, Classification of genus 3 curves in special strata of the moduli space, Algorithmic Number Theory (Berlin, 2006), Lecture Notes in Comput. Sci., vol. 4076, Springer, Berlin, 2006, pp. 346–360. MR MR2282935
- [22] Edray Herber Goins and Davin Maddox, Heron triangles via elliptic curves, Rocky Mountain J. Math. 36 (2006), no. 5, 1511–1526. MR MR2285297

- [23] Enrique González-Jiménez and Roger Oyono, Non-hyperelliptic modular curves of genus 3, J. Number Theory 130 (2010), no. 4, 862–878. MR 2600407
- [24] Jordi Guàrdia, Jacobian Nullwerte, periods and symmetric equations for hyperelliptic curves, Ann. Inst. Fourier (Grenoble) 57 (2007), no. 4, 1253–1283. MR MR2339331 (2008g:11105)
- [25] Robert Guralnick and John Shareshian, Symmetric and alternating groups as monodromy groups of Riemann surfaces. I. Generic covers and covers with many branch points, Mem. Amer. Math. Soc. 189 (2007), no. 886, vi+128, With an appendix by Guralnick and R. Stafford. MR MR2343794
- [26] Emmanuel Hallouin, Study and computation of a Hurwitz space and totally real $PSL_2(F_8)$ -extensions of Q, J. Algebra **292** (2005), no. 1, 259–281. MR MR2166804 (2006h:14041)
- [27] F. Hess, Computing Riemann-Roch spaces in algebraic function fields and related topics, J. Symbolic Comput. **33** (2002), no. 4, 425–445. MR MR1890579 (2003j:14032)
- [28] Florian Hess, An algorithm for computing Weierstrass points, Algorithmic Number Theory (Sydney, 2002), Lecture Notes in Comput. Sci., vol. 2369, Springer, Berlin, 2002, pp. 357–371. MR MR2041097 (2005b:14048)
- [29] Christopher Holden, Mod 4 Galois representations and elliptic curves, Proc. Amer. Math. Soc. 136 (2008), no. 1, 31–39 (electronic). MR MR2350385
- [30] Hendrik Hubrechts, Quasi-quadratic elliptic curve point counting using rigid cohomology, J. Symb. Comput. 44 (2009), no. 9, 1255–1267.
- [31] Samuel Kadziela, Rigid analytic uniformization of curves and the study of isogenies, Acta Appl. Math. 99 (2007), no. 2, 185–204. MR MR2350208
- [32] Sotiris Karanikolopoulos, On holomorphic polydifferentials in positive characteristic, 2010, p. 25.
- [33] A. Kontogeorgis, The ramification sequence for a fixed point of an automorphism of a curve and the Weierstrass gap sequence, Math. Z. **259** (2008), no. 3, 471–479. MR MR2395122 (2009a:14041)
- [34] Aristides Kontogeorgis and Victor Rotger, On abelian automorphism groups of Mumford curves and applications to Shimura curves, 2006.

- [35] Aristides Kontogeorgis and Yifan Yang, Automorphisms of hyperelliptic modular curves $X_0(n)$ in positive characteristic, LMS J. Comput. Math. 13 (2010), 144–163.
- [36] Aristides Kontogeorgis and Yifan Yang, Automorphisms of hyperelliptic modular curves $X_0(N)$ in positive characteristic, LMS J. Comput. Math. 13 (2010), 144–163. MR 2638986
- [37] D. Lehavi and C. Ritzenthaler, An explicit formula for the arithmetic-geometric mean in genus 3, Experiment. Math. 16 (2007), no. 4, 421–440. MR MR2378484 (2008k:14070)
- [38] Claus Lehr and Michel Matignon, Wild monodromy and automorphisms of curves, Duke Math. J. **135** (2006), no. 3, 569–586. MR MR2272976 (2008a:14039)
- [39] Adam Logan and Ronald van Luijk, Nontrivial elements of Sha explained through K3 surfaces, Math. Comp. **78** (2009), no. 265, 441–483. MR MR2448716
- [40] Kay Magaard, Tanush Shaska, and Helmut Völklein, Genus 2 curves that admit a degree 5 map to an elliptic curve, Forum Math. 21 (2009), no. 3, 547–566. MR MR2526800
- [41] Coy L. May and Jay Zimmerman, The groups of symmetric genus $\sigma \leq 8$, Comm. Algebra **36** (2008), no. 11, 4078–4095. MR MR2460404 (2009i:14038)
- [42] Josep M. Miret, Jordi Pujolàs, and Anna Rio, Bisection for genus 2 curves in odd characteristic, Proc. Japan Acad. Ser. A Math. Sci. 85 (2009), no. 4, 55–60. MR MR2517297 (2010d:14039)
- [43] Santiago Molina, Equations of hyperelliptic Shimura curves, 2010.
- [44] Ian Morrison and David Swinarski, Groebner techniques for low degree Hilbert stability, 2009.
- [45] Tetsuo Nakano, On the moduli space of pointed algebraic curves of low genus. II. Rationality, Tokyo J. Math. **31** (2008), no. 1, 147–160. MR MR2426799
- [46] Laura Hitt O'Connor, Gary McGuire, Michael Naehrig, and Marco Streng, CM construction of genus 2 curves with p-rank 1, 2008.
- [47] Adrien Poteaux, Computing monodromy groups defined by plane algebraic curves, SNC'07, ACM, New York, 2007, pp. 36–45. MR MR2404912

- [48] Carlos Rito, On the computation of singular plane curves and quartic surfaces, 2010.
- [49] Magali Rocher, Large p-group actions with a p-elementary abelian derived group, Journal of Algebra **321** (2009), no. 2, 704 740.
- [50] Mohammad Sadek, Counting models of genus one curves, 2010.
- [51] Josef Schicho and David Sevilla, Tschirnhaus-Weierstrass curves, 2008.
- [52] Jasper Scholten and Hui June Zhu, Families of supersingular curves in characteristic 2, Math. Res. Lett. 9 (2002), no. 5-6, 639–650. MR MR1906067 (2003i:14038)
- [53] T. Shaska, Computational aspects of hyperelliptic curves, Computer Mathematics, Lecture Notes Ser. Comput., vol. 10, World Sci. Publishing, River Edge, NJ, 2003, pp. 248–257. MR MR2061839 (2005h:14073)
- [54] Tanush Shaska, Determining the automorphism group of a hyperelliptic curve, Proceedings of the 2003 International Symposium on Symbolic and Algebraic Computation (New York), ACM, 2003, pp. 248–254 (electronic). MR MR2035219 (2005c:14037)
- [55] Tony Shaska, Genus 2 curves with (3,3)-split Jacobian and large automorphism group, Algorithmic Number Theory (Sydney, 2002), Lecture Notes in Comput. Sci., vol. 2369, Springer, Berlin, 2002, pp. 205–218. MR MR2041085 (2005e:14048)
- [56] Vijaykumar Singh and Gary McGuire, The intersection of two Fermat hypersurfaces in P^3 via computation of quotient curves, 2009.
- [57] Paul B. van Wamelen, Computing with the analytic Jacobian of a genus 2 curve, Discovering Mathematics with Magma, Algorithms Comput. Math., vol. 19, Springer, Berlin, 2006, pp. 117–135. MR MR2278925
- [58] Yuri G. Zarhin, Absolutely simple Prymians of trigonal curves, Proceedings of the Steklov Institute of Mathematics **264** (2009), no. 1, 204–215.
- [59] Alexander Zvonkin, Megamaps: Construction and examples, Discrete Models: Combinatorics, Computation, and Geometry (Paris, 2001), Discrete Math. Theor. Comput. Sci. Proc., AA, Maison Inform. Math. Discrete. (MIMD), Paris, 2001, pp. 329–339 (electronic). MR MR1888783 (2003d:14036)