

# Surfaces and Higher Dimensional Varieties

14Jxx

- [1] Selma Altınok, Gavin Brown, and Miles Reid, *Fano 3-folds, K3 surfaces and graded rings*, Topology and Geometry: Commemorating SISTAG, Contemp. Math., vol. 314, Amer. Math. Soc., Providence, RI, 2002, pp. 25–53. MR MR1941620 (2004c:14077)
- [2] Arthur Baragar and Ronald van Luijk, *K3 surfaces with Picard number three and canonical vector heights*, Math. Comp. **76** (2007), no. 259, 1493–1498 (electronic). MR MR2299785
- [3] I. C. Bauer, F. Catanese, and F. Grunewald, *The classification of surfaces with  $p_g = q = 0$  isogenous to a product of curves*, Pure Appl. Math. Q. **4** (2008), no. 2, part 1, 547–586. MR MR2400886 (2009a:14046)
- [4] Ingrid Bauer, Fabrizio Catanese, and Fritz Grunewald, *Beauville surfaces without real structures*, Geometric Methods in Algebra and Number Theory, Progr. Math., vol. 235, Birkhäuser Boston, Boston, MA, 2005, pp. 1–42. MR MR2159375 (2006f:14040)
- [5] Ingrid Bauer, Fabrizio Catanese, and Fritz Grunewald, *The absolute Galois group acts faithfully on the connected components of the moduli space of surfaces of general type*, 2007.
- [6] Ingrid Bauer, Fabrizio Catanese, Fritz Grunewald, and Roberto Pignatelli, *Quotients of a product of curves by a finite group and their fundamental groups*, 2008.
- [7] Ingrid Bauer, Fabrizio Catanese, and Roberto Pignatelli, *Surfaces of general type with geometric genus zero: A survey*, 2010.
- [8] Ingrid Bauer and Roberto Pignatelli, *The classification of minimal product-quotient surfaces with  $p_g = 0$* , 2010.
- [9] Ingrid C. Bauer and Fabrizio Catanese, *A volume maximizing canonical surface in 3-space*, Comment. Math. Helv. **83** (2008), no. 2, 387–406. MR MR2390050
- [10] Ingrid C. Bauer, Fabrizio Catanese, and Roberto Pignatelli, *Complex surfaces of general type: Some recent progress*, Global Aspects of Complex Geometry, Springer, Berlin, 2006, pp. 1–58. MR MR2264106

- [11] ———, *The moduli space of surfaces with  $K^2 = 6$  and  $p_g = 4$* , Math. Ann. **336** (2006), no. 2, 421–438. MR MR2244379
- [12] Tobias Beck, *Formal desingularization of surfaces: The Jung method revisited*, J. Symb. Comput. **44** (2009), no. 2, 131–160.
- [13] Tobias Beck and Josef Schicho, *Adjoint computation for hypersurfaces using formal desingularizations*, J. Algebra **320** (2008), no. 11, 3984–3996. MR MR2464803 (2009k:14029)
- [14] Gilberto Bini, *Quotients of hypersurfaces in weighted projective space*, 2009.
- [15] Martin Bright, *Brauer groups of diagonal quartic surfaces*, J. Symbolic Comput. **41** (2006), no. 5, 544–558. MR MR2209163
- [16] S. Allen Broughton, *Enumeration of the equisymmetric strata of the moduli space of surfaces of low genus*.
- [17] Gavin Brown, *Datagraphs in algebraic geometry and K3 surfaces*, Symbolic and Numerical Scientific Computation (Hagenberg, 2001), Lecture Notes in Comput. Sci., vol. 2630, Springer, Berlin, 2003, pp. 210–224. MR MR2043707 (2005a:14051)
- [18] ———, *Graded rings and special K3 surfaces*, Discovering Mathematics with Magma, Algorithms Comput. Math., vol. 19, Springer, Berlin, 2006, pp. 137–159. MR MR2278926
- [19] ———, *A database of polarized K3 surfaces*, Experiment. Math. **16** (2007), no. 1, 7–20. MR MR2312974
- [20] Gavin Brown, Alexander Kasprzyk, and Daniel Ryder, *Computational birational geometry of minimal rational surfaces*, 2009.
- [21] Gavin Brown and Kaori Suzuki, *Computing certain Fano 3-folds*, Japan J. Indust. Appl. Math. **24** (2007), no. 3, 241–250. MR MR2374989 (2008j:14076)
- [22] ———, *Fano 3-folds with divisible anticanonical class*, Manuscripta Math. **123** (2007), no. 1, 37–51. MR MR2300058 (2008a:14054)
- [23] Nils Bruin, *Visualising  $Sha[2]$  in abelian surfaces*, Math. Comp. **73** (2004), no. 247, 1459–1476 (electronic). MR MR2047096 (2005c:11067)

- [24] Anita Buckley and Balázs Szendrői, *Orbifold Riemann-Roch for threefolds with an application to Calabi-Yau geometry*, J. Algebraic Geom. **14** (2005), no. 4, 601–622. MR MR2147356 (2006b:14013)
- [25] Jorge Caravantes, *Low codimension Fano–Enriques threefolds*, 2006.
- [26] A. Clinger, C.F. Doran, J. Lewis, and U. Whitcher, *Normal forms, K3 surface moduli, and modular parametrizations*, Groups and Symmetries: Proceedings of the CRM conference in honor of John McKay,, CRM-AMS Proceedings and Lecture Notes, vol. 47, 2008.
- [27] Patrick Corn, *Tate-Shafarevich groups and K3 surfaces*, Math. Comp. **To appear** (2007).
- [28] Alessio Corti and Miles Reid, *Weighted Grassmannians*, Algebraic Geometry, de Gruyter, Berlin, 2002, pp. 141–163. MR MR1954062 (2003m:14076)
- [29] Willem A. de Graaf, Michael Harrison, Jana Pílníková, and Josef Schicho, *A Lie algebra method for rational parametrization of Severi-Brauer surfaces*, J. Algebra **303** (2006), no. 2, 514–529. MR MR2255120 (2007e:14058)
- [30] Willem A. de Graaf, Jana Pílníková, and Josef Schicho, *Parametrizing del Pezzo surfaces of degree 8 using Lie algebras*, J. Symbolic Comput. **44** (2009), no. 1, 1 – 14.
- [31] Ulrich Derenthal, *On the Cox ring of del Pezzo surfaces*, 2006.
- [32] Ulrich Derenthal, *Universal torsors of del Pezzo surfaces and homogeneous spaces*, Adv. Math. **213** (2007), no. 2, 849–864. MR MR2332612
- [33] Luis V. Dieulefait, *Computing the level of a modular rigid Calabi-Yau threefold*, Exp. Math **13** (2004), no. 2, 165–169.
- [34] Noam D. Elkies, *Three lectures on elliptic surfaces and curves of high rank*, 2007.
- [35] Pavel Etingof, Alexei Oblomkov, and Eric Rains, *Generalized double affine Hecke algebras of rank 1 and quantized del Pezzo surfaces*, Adv. Math. **212** (2007), no. 2, 749–796. MR MR2329319
- [36] Alice Garbagnati and Alessandra Sarti, *Elliptic fibrations and symplectic automorphisms on K3 surfaces*, Comm. Algebra **37** (2009), no. 10, 3601–3631. MR MR2561866

- [37] Shelly Garion and Matteo Penegini, *New Beauville surfaces, moduli spaces and finite groups*, 2009.
- [38] Victor Ginzburg, *Calabi-Yau algebras*, 2007.
- [39] Hans-Christian Graf v. Bothmer, *Finite field experiments*, Higher-dimensional Geometry over Finite Fields, NATO Sci. Peace Secur. Ser. D Inf. Commun. Secur., vol. 16, IOS, Amsterdam, 2008, pp. 1–62. MR MR2484075 (2009m:14032)
- [40] V. A. Gritsenko, K. Hulek, and G. K. Sankaran, *The Kodaira dimension of the moduli of K3 surfaces*, Invent. Math. **169** (2007), no. 3, 519–567. MR MR2336040
- [41] Johan P. Hansen, *Toric surfaces and codes, techniques and examples*, 2004.
- [42] Brendan Hassett, Anthony Vàrilly-Alvarado, and Patrick Varilly, *Transcendental obstructions to weak approximation on general K3 surfaces*, 2010.
- [43] Kiran S. Kedlaya, *Computing zeta functions of surfaces*, Mathematisches Forschungsinstitut Oberwolfach Report **32** (2005), 1808–1810.
- [44] Adam Logan, *The Brauer-Manin obstruction on del Pezzo surfaces of degree 2 branched along a plane section of a Kummer surface*, Math. Proc. Cambridge Philos. Soc. **144** (2008), no. 3, 603–622. MR MR2418706
- [45] Stefan Maubach and Roel Willems, *Polynomial automorphisms over finite fields: Mimicking non-tame and tame maps by the Derksen group*, 2009.
- [46] Jan-Steffen Müller, *Explicit Kummer surface theory for arbitrary characteristic*, London Math. Soc. J. Comput. Math. **13** (2010), 47–64.
- [47] Francesco Polizzi, *Standard isotrivial fibrations with  $p_g = q = 1$* , Journal of Algebra **321** (2009), no. 6, 1600 – 1631.
- [48] Gopal Prasad and Sai-Kee Yeung, *Fake projective planes*, Invent. Math. **168** (2007), no. 2, 321–370. MR MR2289867
- [49] Carlos Rito, *On surfaces with  $p_g = q = 1$  and non-ruled bicanonical involution*, Ann. Sc. Norm. Super. Pisa Cl. Sci. (5) **6** (2007), no. 1, 81–102. MR MR2341516
- [50] ———, *A note on Todorov surfaces*, Osaka J. Math. **46** (2009), no. 3, 685–693. MR MR2583324

- [51] Carlos Rito, *Involutions on surfaces with  $p_g = q = 1$* , *Collectanea Mathematica* **61** (2010), no. 1, 81–106.
- [52] ———, *On equations of double planes with  $p_g = q = 1$* , *Math. Comp* **79** (2010), 1091–1108.
- [53] Maria Marti Sanchez, *Even sets of  $(-4)$ -curves on rational surface*, 2010.
- [54] Stefan Schröer, *Kummer surfaces for the self-product of the cuspidal rational curve*, *J. Algebraic Geom.* **16** (2007), no. 2, 305–346. MR MR2274516 (2007i:14038)
- [55] Matthias Schütt, Tetsuji Shioda, and Ronald van Luijk, *Lines on Fermat surfaces*, *J. Number Theory* **130** (2010), no. 9, 1939–1963.
- [56] James P Smith, *Picard-Fuchs differential equations for families of K3 surfaces*, Ph D thesis, University of Warwick, 2007.
- [57] Kaori Suzuki, *On Fano indices of  $Q$ -Fano 3-folds*, *Manuscripta Math.* **114** (2004), no. 2, 229–246. MR MR2067795 (2005c:14046)
- [58] Damiano Testa, Anthony Vàrilly-Alvarado, and Mauricio Velasco, *Cox rings of degree one del Pezzo surfaces*, *Algebra and Number Theory* **3** (2009), 729–761.
- [59] Ronald van Luijk, *Quartic K3 surfaces without nontrivial automorphisms*, *Math. Res. Lett.* **13** (2006), no. 2-3, 423–439. MR MR2231128 (2007b:14084)
- [60] ———, *An elliptic K3 surface associated to Heron triangles*, *J. Number Theory* **123** (2007), no. 1, 92–119. MR MR2295433 (2007k:14077)
- [61] ———, *K3 surfaces with Picard number one and infinitely many rational points*, *Algebra and Number Theory* **1** (2007), no. 1, 1–15.
- [62] Anthony Vàrilly-Alvarado, *Weak approximation on del Pezzo surfaces of degree 1*, *Adv. Math.* **219** (2008), no. 6, 2123–2145. MR MR2456278
- [63] Anthony Vàrilly-Alvarado and Bianca Viray, *Failure of the Hasse principle for Enriques surfaces*, *Advances in Mathematics* **226** (2011), 4884–4901.
- [64] Anthony Vàrilly-Alvarado and David Zywina, *Arithmetic  $E_8$  lattices with maximal Galois action*, *LMS J. Comput. Math.* **12** (2009), 144–165. MR MR2559115

- [65] Bogdan G. Vioreanu, *Mordell-Weil problem for cubic surfaces, numerical evidence*, 2008.
- [66] Bianca Viray, *A family of varieties with exactly one pointless rational fiber*, 2009.