

Combinatorial Codes

94B25

- [1] Makoto Araya, Masaaki Harada, and Hadi Kharaghani, *Some Hadamard matrices of order 32 and their binary codes*, J. Combin. Des. **12** (2004), no. 2, 142–146. MR MR2036652 (2004m:94092)
- [2] E. F. Assmus, Jr., *The coding theory of finite geometries and designs*, Applied Algebra, Algebraic Algorithms and Error-correcting Codes (Rome, 1988), Lecture Notes in Comput. Sci., vol. 357, Springer, Berlin, 1989, pp. 1–6. MR MR1008488 (90f:51010)
- [3] E. F. Assmus, Jr. and Arthur A. Drisko, *Binary codes of odd-order nets*, Des. Codes Cryptogr. **17** (1999), no. 1-3, 15–36. MR MR1714366 (2000i:94087)
- [4] E. F. Assmus, Jr. and J. D. Key, *Hadamard matrices and their designs: A coding-theoretic approach*, Trans. Amer. Math. Soc. **330** (1992), no. 1, 269–293. MR MR1055565 (92f:05024)
- [5] ———, *Designs and codes: an update*, Des. Codes Cryptogr. **9** (1996), no. 1, 7–27, Second Upper Michigan Combinatorics Workshop on Designs, Codes and Geometries (Houghton, MI, 1994). MR MR1412173 (97m:94021)
- [6] ———, *Polynomial codes and finite geometries*, Handbook of Coding Theory, Vol. I, II, North-Holland, Amsterdam, 1998, pp. 1269–1343. MR MR1667952
- [7] Robert F. Bailey and John N. Bray, *Decoding the Mathieu group M_{12}* , Adv. Math. Commun. **1** (2007), no. 4, 477–487. MR MR2354049
- [8] R. D. Baker and K. L. Wantz, *Unitals in the code of the Hughes plane*, J. Combin. Des. **12** (2004), no. 1, 35–38. MR MR2024247 (2004j:94030)
- [9] Koichi Betsumiya, T. Aaron Gulliver, Masaaki Harada, and Akihiro Munemasa, *On type II codes over F_4* , IEEE Trans. Inform. Theory **47** (2001), no. 6, 2242–2248. MR MR1873199 (2002m:94070)
- [10] Neil J. Calkin, Jennifer D. Key, and Marialuisa J. de Resmini, *Minimum weight and dimension formulas for some geometric codes*, Des. Codes Cryptogr. **17** (1999), no. 1-3, 105–120. MR MR1714374 (2000i:94077)

- [11] L. L. Carpenter and J. D. Key, *Reed-Muller codes and Hadamard designs from ovals*, J. Combin. Math. Combin. Comput. **22** (1996), 79–85. MR MR1418060 (97h:94021)
- [12] Ying Cheng and N. J. A. Sloane, *Codes from symmetry groups, and a [32, 17, 8] code*, SIAM J. Discrete Math. **2** (1989), no. 1, 28–37. MR MR976785 (90h:93026)
- [13] Naoki Chigira, Masaaki Harada, and Masaaki Kitazume, *Permutation groups and binary self-orthogonal codes*, J. Algebra **309** (2007), no. 2, 610–621. MR MR2303196
- [14] ———, *Some self-dual codes invariant under the Hall-Janko group*, J. Algebra **316** (2007), no. 2, 578–590. MR MR2356845
- [15] K. L. Clark, J. D. Key, and M. J. de Resmini, *Dual codes of translation planes*, European J. Combin. **23** (2002), no. 5, 529–538. MR MR1931937 (2004b:94084)
- [16] Marston Conder and John McKay, *Markings of the Golay code*, New Zealand J. Math. **25** (1996), no. 2, 133–139. MR MR1421485 (97g:05040)
- [17] A. Cossidente and A. Sonnino, *A geometric construction of a $[110, 5, 90]_9$ -linear code admitting the Mathieu group M_{11}* , IEEE Trans. Inform. Theory **54** (2008), no. 11, 5251–5252.
- [18] Antonio Cossidente and Alessandro Siciliano, *A geometric construction of an optimal $[67, 9, 30]$ binary code*, IEEE Trans. Inform. Theory **47** (2001), no. 3, 1187–1189. MR MR1830064 (2002a:94041)
- [19] M. R. Darafsheh, A. Iranmanesh, and R. Kahkeshani, *Some designs and codes invariant under the groups S_9 and A_8* , Des. Codes Cryptogr. **51** (2009), no. 2, 211–223. MR MR2480700 (2009k:05193)
- [20] Steven T. Dougherty, Jon-Lark Kim, and Patrick Solé, *Double circulant codes from two class association schemes*, Adv. Math. Commun. **1** (2007), no. 1, 45–64. MR MR2262767
- [21] Sean V. Droms, Keith E. Mellinger, and Chris Meyer, *LDPC codes generated by conics in the classical projective plane*, Des. Codes Cryptogr. **40** (2006), no. 3, 343–356. MR MR2251325 (2007f:51021)
- [22] D.G. Farmer and K.J. Horadam, *Presemifield bundles over $GF(p^3)$* , IEEE International Symposium on Information Theory, 2008. ISIT 2008 (2008), 2613–2616.

- [23] W. Fish, J. D. Key, and E. Mwambene, *Graphs, designs and codes related to the n -cube*, Discrete Math. **309** (2009), no. 10, 3255–3269. MR MR2526744
- [24] ———, *Binary codes from the line graph of the n -cube*, J. Symbolic Comput. **45** (2010), no. 7, 800–812. MR 2645979
- [25] ———, *Codes from incidence matrices and line graphs of Hamming graphs*, Discrete Math. **310** (2010), no. 13–14, 1884–1897. MR 2629907
- [26] S. Gao and J. D. Key, *Bases of minimum-weight vectors for codes from designs*, Finite Fields Appl. **4** (1998), no. 1, 1–15. MR MR1612056 (99k:94057)
- [27] D. Ghinelli, M. J. de Resmini, and J. D. Key, *Minimum words of codes from affine planes*, J. Geom. **91** (2009), no. 1-2, 43–51.
- [28] Markus Grassl and T. Aaron Gulliver, *On circulant self-dual codes over small fields*, Des. Codes Cryptogr. **52** (2009), no. 1, 57–81. MR MR2496246
- [29] Willem H. Haemers, Christopher Parker, Vera Pless, and Vladimir Tonchev, *A design and a code invariant under the simple group Co_3* , J. Combin. Theory Ser. A **62** (1993), no. 2, 225–233. MR MR1207734 (93m:94039)
- [30] Masaaki Harada, *Self-orthogonal 3-(56, 12, 65) designs and extremal doubly-even self-dual codes of length 56*, Des. Codes Cryptogr. **38** (2006), no. 1, 5–16. MR MR2191121 (2006h:94250)
- [31] Masaaki Harada and Vladimir D. Tonchev, *Self-orthogonal codes from symmetric designs with fixed-point-free automorphisms*, Discrete Math. **264** (2003), no. 1-3, 81–90, The 2000 Com²MaC Conference on Association Schemes, Codes and Designs (Pohang). MR MR1972023 (2004f:94099)
- [32] K. J. Horadam and P. Udaya, *A new class of ternary cocyclic Hadamard codes*, Appl. Algebra Engrg. Comm. Comput. **14** (2003), no. 1, 65–73. MR MR1989636 (2004j:94034)
- [33] J. D. Key, *Bases for codes of designs from finite geometries*, Proceedings of the Twenty-fifth Southeastern International Conference on Combinatorics, Graph Theory and Computing (Boca Raton, FL, 1994), vol. 102, 1994, pp. 33–44. MR MR1382355 (97c:94018)

- [34] ———, *Some applications of Magma in designs and codes: Oval designs, Hermitian unitals and generalized Reed-Muller codes*, J. Symbolic Comput. **31** (2001), no. 1-2, 37–53, Computational algebra and number theory (Milwaukee, WI, 1996). MR MR1806205 (2002d:94064)
- [35] ———, *Recent developments in permutation decoding*, Not. S. Afr. Math. Soc. **37** (2006), no. 1, 2–13. MR MR2223306
- [36] J. D. Key and M. J. de Resmini, *Small sets of even type and codewords*, J. Geom. **61** (1998), no. 1-2, 83–104. MR MR1603821 (98k:51024)
- [37] ———, *Ternary dual codes of the planes of order nine*, J. Statist. Plann. Inference **95** (2001), no. 1-2, 229–236, Special issue on design combinatorics: in honor of S. S. Shrikhande. MR MR1829111 (2002b:94031)
- [38] J. D. Key, T. P. McDonough, and V. C. Mavron, *Information sets and partial permutation decoding for codes from finite geometries*, Finite Fields Appl. **12** (2006), no. 2, 232–247. MR MR2206400 (2006k:94182)
- [39] ———, *Partial permutation decoding for codes from affine geometry designs*, J. Geom. **88** (2008), no. 1-2, 101–109. MR MR2398478
- [40] J. D. Key and J. Moori, *Some irreducible codes invariant under the Janko group, J_1 or J_2* , 2008.
- [41] J. D. Key, J. Moori, and B. G. Rodrigues, *On some designs and codes from primitive representations of some finite simple groups*, J. Combin. Math. Combin. Comput. **45** (2003), 3–19. MR MR1982631 (2004m:94094)
- [42] ———, *Binary codes from graphs on triples*, Discrete Math. **282** (2004), no. 1-3, 171–182. MR MR2059517 (2005b:94054)
- [43] ———, *Permutation decoding for the binary codes from triangular graphs*, European J. Combin. **25** (2004), no. 1, 113–123. MR MR2031806 (2005c:94086)
- [44] ———, *Some binary codes from symplectic geometry of odd characteristic*, Util. Math. **67** (2005), 121–128. MR MR2137926 (2006e:94072)
- [45] ———, *Partial permutation decoding of some binary codes from graphs on triples*, Ars Combin. **91** (2009), 363–371. MR MR2501975

- [46] ———, *Ternary codes from graphs on triples*, Discrete Math. **309** (2009), no. 14, 4663–4681. MR MR2533126 (2010e:94298)
- [47] J. D. Key, J. Moori, and B. G. Rodrigues, *Codes associated with triangular graphs, and permutation decoding*, 2010.
- [48] J. D. Key and P. Seneviratne, *Permutation decoding for binary codes from lattice graphs*, Discrete Math. **308** (2008), no. 13, 2862–2867. MR MR2413986
- [49] Jon-Lark Kim and Vera Pless, *Designs in additive codes over GF(4)*, Des. Codes Cryptogr. **30** (2003), no. 2, 187–199. MR MR2007210 (2005b:94067)
- [50] Jon-Lark Kim and Patrick Solé, *Skew Hadamard designs and their codes*, Des. Codes Cryptogr. **49** (2008), no. 1-3, 135–145. MR MR2438446
- [51] Heisook Lee and Yoonjin Lee, *Construction of self-dual codes over finite rings Z_{p^m}* , J. Combin. Theory Ser. A **115** (2008), no. 3, 407–422. MR MR2402602
- [52] Ka Hin Leung and Qing Xiang, *On the dimensions of the binary codes of a class of unitals*, Discrete Math. **309** (2009), no. 3, 570–575. MR MR2499009
- [53] San Ling and Chaoping Xing, *Polyadic codes revisited*, IEEE Trans. Inform. Theory **50** (2004), no. 1, 200–207. MR MR2051429 (2005a:94106)
- [54] Kirsten Mackenzie, *Codes of designs*, Ph.D. thesis, University of Birmingham, 1989.
- [55] Johannes Maks and Juriaan Simonis, *Optimal subcodes of second order Reed-Muller codes and maximal linear spaces of bivectors of maximal rank*, Des. Codes Cryptogr. **21** (2000), no. 1-3, 165–180. MR MR1801197 (2001j:94049)
- [56] Stefano Marcugini, Alfredo Milani, and Fernanda Pambianco, *NMDS codes of maximal length over \mathbf{F}_q , $8 \leq q \leq 11$* , IEEE Trans. Inform. Theory **48** (2002), no. 4, 963–966. MR MR1908457 (2003e:94109)
- [57] ———, *Classification of the $(n, 3)$ -arcs in $\text{PG}(2, 7)$* , J. Geom. **80** (2004), no. 1-2, 179–184. MR MR2176579
- [58] Gary McGuire and Harold N. Ward, *A determination of the weight enumerator of the code of the projective plane of order 5*, Note Mat. **18** (1998), no. 1, 71–99 (1999). MR MR1759017 (2001g:94026)

- [59] ———, *The weight enumerator of the code of the projective plane of order 5*, Geom. Dedicata **73** (1998), no. 1, 63–77. MR MR1651899 (99j:94068)
- [60] Jamshid Moori and B. G. Rodrigues, *Some designs and codes invariant under the simple group Co_2* , J. Algebra **316** (2007), no. 2, 649–661. MR MR2358607
- [61] Akihiro Munemasa and Vladimir D. Tonchev, *A new quasi-symmetric $2-(56, 16, 6)$ design obtained from codes*, Discrete Math. **284** (2004), no. 1-3, 231–234. MR MR2071915 (2005b:05027)
- [62] Mona B. Musa, *On some double circulant binary extended quadratic residue codes*, IEEE Trans. Inform. Theory **54** (2008), no. 2, 898–905. MR MR2444570
- [63] Christopher Parker and Vladimir D. Tonchev, *Linear codes and doubly transitive symmetric designs*, Linear Algebra Appl. **226/228** (1995), 237–246. MR MR1344564 (96e:05021)
- [64] M. van Dijk, S. Egner, M. Greferath, and A. Wassermann, *Geometric codes over fields of odd prime power order*, IEEE International Symposium on Information Theory (ISIT), Yokohama, 2003.
- [65] Steven R. Weller and Sarah J. Johnson, *Iterative decoding of codes from oval designs*, Defence Applications of Signal Processing, 2001 Workshop (2001), 1–19.